

SAFETY CABINETS

FLAMMABLE STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM Approved



SAQ325

ZENITH[®]
Safety Products

Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ325	2 doors, manual	30	1	42 x 18 x 44	FM	174
SAQ326	2 doors, manual	45	2	43 x 18 x 65	FM	252
SAS521	2 doors, manual	60	2	34 x 34 x 65	FM	430

Model No.	Description	For use with	Dimensions W" x D"	Wt. lbs.
SAQ328	Extra shelf	30 & 45-gallon cabinets	39 3/8 x 14	9
SAS574	Extra shelf	60-gallon cabinets	30 3/8 x 30	12

PAINT & INK SAFETY STORAGE CABINET

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM Approved



ZENITH[®]
Safety Products

SAQ327

Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ327	2 door, manual	60	5	43 x 18 x 65	FM	267

Model No.	Description	Dimensions W" x D"	Wt. lbs.
SAQ328	Extra Shelf	39 3/8 x 14	9

SURE-GRIP[®] EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-Loc[™] handle comes with 2 keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill
- Adjustable leveler legs and galvanised SpillSlope[™] shelves
- Haz-Alert[™] reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- FM approved and meet NFPA and OSHA requirements



SAR312



SAR313

Backed by our
10 Year
Quality Limited Warranty

JUSTRITE[®]



Cabinet Cover

SAQ023

SAP509

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAP509	893000	2 doors, manual	30	1	43 x 18 x 44	FM	231
SAQ021	893020	2 doors, self-closing	30	1	43 x 18 x 44	FM	237
SAP510	894500	2 doors, manual	45	2	43 x 18 x 65	FM	310
SAQ023	894520	2 doors, self-closing	45	2	43 x 18 x 65	FM	313
SAQ024	896000	2 doors, manual	60	2	34 x 34 x 65	FM	387
SAQ025	896020	2 doors, self-closing	60	2	34 x 34 x 65	FM	392
SAQ026*	899000	2 doors, manual	90	2	43 x 34 x 65	FM	480
SAQ027*	899020	2 doors, self-closing	90	2	43 x 34 x 65	FM	480

ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Wt. lbs.
SAP839	29937	Extra shelf for 30 and 45-gallon cabinets	-	9
SAQ028	29944	Extra shelf for 60-gallon cabinets	-	14
SAQ029	29945	Extra shelf for 90-gallon cabinets	-	18
SAK285	25987	Cabinet cover for 30 and 45-gallon cabinets	8 1/2 x 42 1/2 x 18	-
SAK286	25989	Cabinet cover for 60-gallon cabinets	16 x 33 1/2 x 34	-
SAR311	84000	Seismic bracket kit to secure cabinet to wall	47	-
SAR312	84002	Cabinet riser frame for forklift or pallet jack	18 x 43	-
SAR313	84001	Rolling cart for 30-gallon cabinets	18 x 43	-

* Codes state that not more than 60 gallons may be Class I and Class II liquids.

SURE-GRIP[®] EX PAINT & INK SAFETY STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite's safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-Loc[™] handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert[™] reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- FM approved
- Meets NFPA and OSHA regulations

JUSTRITE[®]

Backed by our
10 Year
Quality Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ079	891511	1 door, manual, Compac	20	2	23 1/4 x 18 x 44	FM	154
SAQ081	893011	2 doors, manual	40	3	43 x 18 x 44	FM	239
SAQ084	894511	2 doors, manual	60	5	43 x 18 x 65	FM	345
SAQ087*	896011	2 doors, manual	120	5	34 x 34 x 65	FM	424

EXTRA SHELVES

SAP839	29937	Extra shelf for 40-gallon cabinets
SAQ028	29944	Extra shelf for 60-gallon cabinets

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

SAQ084



SAQ081

SAFETY CABINETS

STORE SMALLER QUANTITIES NEARBY!

These cabinets offer *U-Loc™* handles and come with a double key set or accept an optional padlock for greater security. They also have *Haz-Alert™* reflective warning labels to offer visibility under dark conditions. Meet NFPA and OSHA regulations.

SURE-GRIP® EX WALL MOUNT SAFETY CABINETS

- Store small containers without taking up extra floor space
- Holds up to 20 gallons
- Mount easily with furnished brackets
- Yellow powder coat paint finish

SURE-GRIP® EX COUNTERTOP & COMPAC SAFETY CABINETS

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman

SURE-GRIP® EX SLIMLINE SAFETY CABINETS

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- Meets NFPA and OSHA regulations

SURE-GRIP® EX STACKABLE "PIGGYBACK" CABINETS

- Designed to mount on top of *Justrite®*'s standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- Meets NFPA and OSHA regulations



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Listing Approvals	Wt. lbs.
SAQ034	890400	1 door, manual, countertop	4	1	17 x 17 x 22	-	62
SAQ036	891200	1 door, manual, Compac	12	1	23 1/4 x 18 x 35	FM	129
SAQ038	891500	1 door, manual, Compac	15	1	23 1/4 x 18 x 44	FM	154
SAQ040	893400	2 doors, manual, wall mount	20	5	43 x 12 x 44	FM	221
SAQ031*	891700	2 doors, manual, Piggyback	17	1	43 x 18 x 24	FM	157
SAQ030*	891300	2 doors, manual, Piggyback	12	-	43 x 18 x 18	FM	129
SAQ032	892200	1 door, manual, Slimline	22	3	23 x 18 x 65	FM	200

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15 gallon compac cabinets	5

*Piggyback cabinets are not to be used with sliding door cabinets.

SURE-GRIP® EX VERTICAL DRUM STORAGE CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as *Justrite®*'s standard safety cabinets. Colour: Yellow.

- 2 manual doors
- Safely store one or two 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels
- Rollers at bottom of cabinet facilitate drum movement
- Ramp for drum cabinets (sold separately) aids in loading drums with a hand truck



SAQ046

Model No.	Mfg. No.	Drum US Cap.	Ext. Dim. W" x D" x H"	Listings & Approvals	Wt. lbs.
SAQ046	896260	1-55 gallons	34 x 34 x 65	FM	425
SAQ048	899160	2-55 gallons	59 x 34 x 65	-	781

ACCESSORIES	Description	Wt. lbs.
SAI480	25932 Drum ramp for all <i>Justrite®</i> drum cabinets	28
SAK286	25989 Cabinet cover for SAQ046	100

INSULATED FLAMMABLE STORAGE CABINETS

ULC APPROVED – 2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Full length piano-hinged doors with three-point lock on door
- Two 2" flame arrestor vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanised shelves on 1/2" centres
- Zinc-plated leveler legs



SA087

herbertwilliams
FIRE EQUIPMENT LTD.

Model No.	Door Type	Cap. gal.	Adjustable Shelves	Ext. Dimensions W" x D" x H"	Wt. lbs.
SA087	2 doors, manual	30	1	44 x 19 x 45	350
SA088	2 doors, manual	45	2	44 x 19 x 66	430

SHELVES & ACCESSORIES

Model No.	Description	Wt. lbs.
SA086	Extra shelf for SA087 and SA088	9
DA623	Insulated grounding wire w/C-clamp and clip	1
DA622	Flexible bonding wire w/two clips	1
DA621	Flexible bonding wire w/C-clamp and clip	1

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs



SAF847

SAF837

SAF848

OXYGEN GAS (9" DIAMETER CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	44 x 30 x 74	10	210
SAF848*	88 x 30 x 74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SAF836	44 x 30 x 37	6	135
SAF847	44 x 30 x 74	12	270

Notes: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

SAFETY CONTAINERS

TYPE I SAFETY CANS

- Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional Poly Funnel offers targeted pouring



With Funnel Model No.	Mfg. No	Without funnel Model No.	Mfg. No	Colour	Capacity US Gal.	Ext. Dim. Dia"	x	H"
SEA240	7110110	SEA199	7110100	Red	1	9 1/2	x	11
SEA241	7110210	SEA200	7110200	Yellow	1	9 1/2	x	11
SEA204	7120110	SEA203	7120100	Red	2	9 1/2	x	14
SEA244	7120210	SEA205	7120200	Yellow	2	9 1/2	x	14
SEA208	7125110	SEA207	7125100	Red	2.5	11 1/2	x	12
SEA247	7125210	SEA209	7125200	Yellow	2.5	11 1/2	x	12
SEA213	7150110	SEA212	7150100	Red	5	11 1/2	x	17
SEA250	7150210	SEA214	7150200	Yellow	5	11 1/2	x	17

Other colours available, call us today!

REPLACEMENT FUNNEL

Model No.	Mfg. No.	Description
SAJ675	11202Y	1" Easy funnel spout in polypropylene



TYPE I OVAL POLYETHYLENE SAFETY CANS

Choose type I non-metallic safety cans when dent and chemical resistance are important.

- Constructed of high density polyethylene, offer distinct advantages over steel models
- Dent, chip and puncture resistant polyethylene stands up to harsh corrosives
- Current carrying carbon insert grounds the opening and flame arrester
- Self-close spout and pressure relief mechanism
- Flame arrester prevents ignition sources from entering the can
- Plated or stainless steel hardware provides chemical protection
- FM approved



SC290



Model No.	Mfg. No.	Fitting Material	Cap. US Gal.	L"	x	W"	x	H"
SC290	14140	Plated Steel	1	7 5/8	x	4 5/8	x	12 3/4
SC291	14160	Stainless Steel	1	7 5/8	x	4 5/8	x	12 3/4

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans



SC296



Model No.	Mfg. No.	Description	Faucet
SC296	10807	Steel shelf can	Control flow lab, 3/4" brass
SC297	10809	Steel plate shelf can	3/4" NPT rigid brass
SC298	10886	Steel plate tilt can w/stand	Control flow lab, 3/4" brass
SC299	10888	Steel plate tilt can w/stand	3/4" NPT rigid brass
SC300	14590	Polyethylene shelf can	Control flow lab, 3/4" brass
SC301	14581	Polyethylene tilt can w/stand	Control flow lab, 3/4" brass

TYPE II ACCUFLOW™ SAFETY CANS

- Fully compliant Type II AccuFlow™ safety cans with stainless steel flame arresters
- Feature the superior pour control and smooth flow of the exclusive vented AccuFlow™ manifold and Safe-Squeeze® trigger handle
- Also offer a long-lasting stainless steel flame arrester and flexible metal hose for accurate and fast pouring into large or small openings
- Offset combination fill/pour port with comfort lift handle is ergonomically designed to make filling easier than ever
- Large ID zone on label allows user to clearly mark contents
- 10-year limited warranty



Model No.	Mfg. No.	Colour	Capacity US Gal.	Hose Width	Ext. Dim. Dia"	x	H"
SEA217	7210120	Red	1	5/8	9 1/2	x	11
SEA221	7220120	Red	2	5/8	9 1/2	x	13 1/2
SEA224	7225120	Red	2.5	5/8	11 1/2	x	12
SEA225	7225130	Red	2.5	1	11 1/2	x	12
SEA232	7250120	Red	5	5/8	11 1/2	x	18
SEA233	7250130	Red	5	1	11 1/2	x	18

Other colour/capacity/hose width combinations available, call us today!

TYPE I & TYPE II STEEL SAFETY CANS

- Features a spring-loaded lid with an internal safety flame arrester
- Made of 24-gauge terne plate steel
- Type I cans feature a single pour spout and a spring-loaded handle
- Type II cans feature separate fill and pour spouts
- FM approved complies with OSHA standards.



Type I

Type II



Capacity US Gal.	Litres	Type I Model No.	Dim. Dia." x H"	Wt. lbs.	Type II Model No.	Dim. Dia." x H"	Wt. lbs.
1	3.8	SA145	8 1/2 x 12 1/8	5	SA151	8 1/2 x 12	6
1 Imp.	4.6	SA146	8 1/8 x 13 1/8	6	SA152	8 1/8 x 13 1/2	7
2	7.6	SA147	8 1/2 x 16 1/8	6	SA153	8 1/2 x 16 1/8	10
3	11.4	SA148	11 1/2 x 15 1/8	8	SA154	11 1/2 x 16	10
5	18.9	SA149	11 1/2 x 19 1/2	9	SA155	11 1/2 x 20	12
5 Imp.	22.9	SA150	11 1/2 x 21 1/2	10	SA156	11 1/2 x 21 1/2	12

OILY WASTE CANS

Dispose of oil-soaked rags safely and protect your facility from fires that start from spontaneous combustion, sparks and other ignition sources. OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used.

- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 - 21 US gallon foot-operated units are FM and UL approved
- 2 US gallon hand-operated, countertop units is FM approved



SR362



Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Cap US Gal.	Ext. Dimensions Dia." x H"	Wt. lbs.
SR361	09200Y	SR356	09200	2	9 5/8 x 9 1/8	6
SR362	09101	SR357	09100	6	11 7/8 x 15 7/8	10
SR363	09301	SR358	09300	10	13 15/16 x 18 1/4	12
SR364	09501	SR359	09500	14	16 1/16 x 20 1/4	15
SR365	09701	SR360	09700	21	18 3/8 x 23 7/16	22

GLOVES

HEAVY WEIGHT NITRILE COATED SAFETY CUFF

- High-density 100% cotton jersey lining
- Superior abrasion cut and puncture-resistant
- Safety cuff provides added protection
- Full coating for maximum protection
- Case Qty: 120

Model No.	
SAN445	SAN446
Size 10	Size 11



YELLOW NATURAL RUBBER LATEX

- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- 12" length, 15-mil thick
- CFIA approved
- Case Qty: 120



SAN473

SAN469

Model No.	Size
COTTON FLOCK LINED	
SAN467	7
SAN468	8
SAN469	9
SAN470	10

Model No.	Size
UNLINED	
SAN471	7
SAN472	8
SAN473	9
SAN474	10

PVC SMOOTH FINISH

- PVC coating on jersey liner
- Resists most oils, acids, greases and solvents
- Ideal for general chemical handling
- Case Qty: 120

Model No.	Description
SAI102	12" Gauntlet
SC508	14" Gauntlet
SAI103	Knit Wrist



SAI103

SAI102

PVC ROUGH FINISH

- PVC coating on jersey liner
- Resists most oils, acids, greases and solvents
- Case Qty: 120

Model No.	Description
SAN455	12" Gauntlet
SAN454	14" Gauntlet
SAN456	Knit Wrist



SAN456

SAN455

PVC DOUBLE DIPPED GREEN

- PVC coating on jersey liner
- Double dipped for superior abrasion resistance
- Resists most oils, acids, greases and solvents
- Rough finish

Model No.	Description	Qty /Case
SAN457	12" Gauntlet	120
SAN458	14" Gauntlet	60
SAN459	18" Gauntlet	60
SAN460	Knit Wrist	120

SAN460



SAN459

WINTER LINED PVC

- Fluorescent orange PVC glove provides excellent protection against oils and other liquids
- Foam fleece lining for added warmth in harsh winter conditions



SO104



SAP922



SAN383

Model No.	Description	Qty /Case
SAN383	12" Gauntlet	72
SO104	Knit Wrist	120
SAP922	Safety Cuff	72

SOL-VEX® UNSUPPORTED NITRILE 37-175

- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- CFIA approved
- Case Qty: 144



Model No.	Description	Size
SAW941	Embossed	6
SAW942	13" Flock-Lined	7
SAW943	15 mils	8

Model No.	Description	Size
SAW944	Embossed	9
SAW945	13" Flock-Lined	10
SAW946	15 mils	11

B200

HYFLEX® 11-600/11-601

- Light-duty polyurethane coated, knit nylon liner
- Silicone-free
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- CFIA approved
- Case Qty: 144



Ansell

Model No.	Description	Size
11-600		
SAW968	White	6
SAW969	Polyurethane	7
SAW970	Palm Coated,	8
SAW971	White	9
SAW972	Nylon Liner	10
SAW973		11

Model No.	Description	Size
11-601		
SAW974	Grey	6
SAW975	Polyurethane	7
SAW976	Palm Coated,	8
SAW977	Black	9
SAW978	Nylon Liner	10

HYFLEX® 11-800/11-801

- Light-duty foam nitrile coated
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- CFIA approved
- Case Qty: 144



Ansell

Model No.	Description	Size
11-800		
SAW921	Grey Foam	6
SAW922	Nitrile Palm	7
SAW923	Coated, White	8
SAW924	Nylon Liner	9
SAW925		10
SAW926		11

Model No.	Description	Size
11-801		
SAW962	Grey	6
SAW963	Polyurethane	7
SAW964	Palm Coated,	8
SAW965	Black	9
SAW966	Nylon Liner	10
SAW967		11

HYD-TUF® 52-547

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Driver's style, with cloth back and soft jersey lining
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Nitrile knuckle strap provides added protection across the back of the hand
- Safety cuff
- Case Qty: 144



Ansell

Model No.	Size
SAW956	9
SAW957	10

POWERFLEX® 80-100

- Natural rubber latex, crinkle finish
- Soft seamless poly/cotton knit liner
- Superior wet and dry grip
- Combination of cut, abrasion and puncture resistance
- Fully-coated thumb provides added protection in this high-risk area
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Ergonomically designed, unbelievable comfort
- CFIA approved
- Case Qty: 144



Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Model No.	Description	Size
SAW956	Palm Coated,	6
SAW957	Grey Poly/Cotton	7
SAW958	Knit Lining	8
SAW959		9
SAW960		10

Ansell

BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED

- Ultra light nitrile foam offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove
- Case Qty: 120



ZENITH®
Safety Products

Model No.	Size
SBA611	6
SBA612	7
SBA613	8

Model No.	Size
SBA614	9
SBA615	10
SBA616	11

LIGHTWEIGHT POLYURETHANE COATED

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120



ZENITH®
Safety Products

Model No. White	Model No. Black	Size
SAO161	SAX694	6
SAO162	SAX695	7
SAO163	SAX696	8
SAO164	SAX697	9
SAO165	SAX698	10
SAO166	SAX699	11



GLOVES

LIGHTWEIGHT NITRILE COATED

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist
- Case Qty: 120



Model No.	Size
GREY ON BLACK	
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

Model No.	Size
BLACK ON WHITE	
SAO157	7
SAO158	8
SAO159	9
SAO160	10
SAP355	11

NATURAL RUBBER LATEX PALM COATED

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120



Model No.	Size
SAL255	8
SAL256	9
SAL257	10
SAL258	11

NITRILE COATED KEVLAR®

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Cut protection: Level 4
- Case Qty: 120



Model No.	Size
SAP923	8
SAP924	9
SAP925	10
SAP926	11

HPPE POLYURETHANE COATED

- Stretchable seamless HPPE liner
- HPPE liner is an extremely strong polyethylene fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Cut protection: Level 4
- Case Qty: 12



Model No.	Size
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

LIGHTWEIGHT NITRILE FOAM COATED

- 13-gauge seamless knitted nylon shell
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120



Model No.	Size
GREY ON WHITE	
SAM629	6
SAM630	7
SAM631	8
SAM632	9
SAM633	10
SAM634	11

Model No.	Size
BLACK ON GREY	
SBA837	6
SAX783	7
SAX784	8
SAX785	9
SAX786	10
SAQ179	11

LATEX COATED KEVLAR®

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Cut protection: Level 4
- Case Qty: 120



Model No.	Size
SAP927	8
SAP928	9
SAP929	10
SAP930	11

HYFLEX® 11-500

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- CFIA approved
- Case Qty: 144

Ansell

Model No.	Size
SAW931	6
SAW932	7
SAW933	8

Model No.	Size
SAW934	9
SAW935	10
SAW936	11



HYFLEX® 11-624

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination moulds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- CFIA approved
- Case Qty: 144

Ansell

Model No.	Size
SAW989	6
SAW990	7
SAW991	8

Model No.	Size
SAW992	9
SAW993	10
SAW994	11



DISPOSABLE POLYETHYLENE

- Most economical glove
- Offers mild chemical resistance
- Short-term use
- Thin enough for fingertip sensitivity
- Talc-free
- 0.02 mm, ambidextrous; one size fits all
- **Bag of 100 gloves**
- Case Qty: 100 bags



Model No.	Size
SAQ704	Small
SAQ705	Medium
SAQ706	Large
SAQ707	X-Large

EXAMINATION GRADE LATEX

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- Thickness: 4 mils
- 9.5" in length
- AQL 1.5
- CFIA approved
- **Box of 100 Gloves**
- Case Qty: 10 boxes



Model No.	Size
POWDERED	
SAP338	X-Small
SAP339	Small
SAP340	Medium
SAP341	Large
SAP342	X-Large

Model No.	Size
POWDER-FREE	
SAP343	X-Small
SAP344	Small
SAP345	Medium
SAP346	Large
SAP347	X-Large

EXAMINATION GRADE VINYL

- Pure 100% premium vinyl
- Soft and stretchable for comfortable wear
- Exceptional fingertip sensitivity
- Beaded cuff for added strength
- USP grade corn starch for powdered gloves
- 9.5" in length
- Thickness: 4 mils
- AQL 1.5
- Ambidextrous design
- CFIA approved
- **Box of 100 Gloves**
- Case Qty: 10 boxes



Model No.	Size
POWDERED	
SAP328	X-Small
SAP329	Small
SAP330	Medium
SAP331	Large
SAP332	X-Large

Model No.	Size
POWDER-FREE	
SAP333	X-Small
SAP334	Small
SAP335	Medium
SAP336	Large
SAP337	X-Large

EXAMINATION GRADE NITRILE

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Ambidextrous design
- Thickness: 4 mils
- 9.5" in length
- AQL 1.5
- CFIA approved
- **Box of 100 Gloves**
- Case Qty: 10 boxes



Model No.	Size
POWDERED	
SAP320	Small
SAP321	Medium
SAP322	Large
SAP323	X-Large

Model No.	Size
POWDER-FREE	
SAP324	Small
SAP325	Medium
SAP326	Large
SAP327	X-Large

POLY/COTTON STRING KNIT

- String knit design provides excellent breathability
- Reversible pattern extends wear life
- Superior comfort
- Reduced hand fatigue
- Lauanders exceptionally well
- Knit wrist eliminates dirt and debris from entering the glove
- CFIA approved for food applications
- Case Qty: 600



Model No.					
SAG011	SF925	SE346	SF926	SAG012	SAP219
X-Small	Small	Medium	Large	X-Large	2X-Large

COTTON CANVAS

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300



Model No.	Fabric Weight Oz.	Size
SAO146	7	Large
SAO147	8	Medium
SAO148	8	Large
SAP354	8	X-Large
SAO149	12	Large

SPLIT COWHIDE LEATHER PALM

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 300



SM573

Model No.	Description	Size
SM572	Standard Quality, White Back, Patch Palm	Large
SN266	Better Quality, White Back	Ladies
SAP274	Better Quality, White Back	Medium
SA616	Better Quality, White Back	Large
SAP294	Better Quality, White Back	X-Large
SM573	Better Quality, White Back, Full Index Finger	Large
SAP297	Better Quality, Stripped Back	Large
SAP296	Superior Quality, White Back	Large

BROWN JERSEY

- Durable poly/cotton fabric construction
- 65% polyester, 35% cotton
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Red fleece lined provides moderate warmth in mild winter weather
- Size: Large



SAO127

Model No.	Description	Qty /Case
SAO127	Knit Wrist	300
SAO126	Slip-On Style, Red Fleece Lining	144

SAO126

SPLIT COWHIDE PATCH PALM FITTERS

- Rugged split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton lined palm
- Patch palm design delivers added savings
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120



SAN636

Model No.	Description	Size
SA622	Standard Quality, Striped Cuff	Large
SAN636	Better Quality, Denim Cuff	Large
SAN382	Better Quality, Striped Cuff	Large
SAP231	Better Quality, Striped Cuff	X-Large
SAP225	Superior Quality, Striped Cuff	Large

SPLIT COWHIDE FITTERS

- Rugged split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton lined palm
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provide increased protection



SAP224

Model No.	Description	Size	Case Qty
SAN638	Standard Quality	Large	120
SM575	Better Quality	Large	120
SAP228	Better Quality	X-Large	60
SM576	Better Quality, 4" Gauntlet Cuff	Large	60
SAP224	Superior Quality	Large	120

SUPERIOR QUALITY SPLIT COWHIDE FITTERS

- Top split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap provide increased protection
- Launderable PE cuff on SAP226



SD603

Model No.	Description	Size	Case Qty
SAS503	Rubberised Cuff	Ladies	120
SG281	Rubberised Cuff	Medium	120
SD602	Rubberised Cuff	Large	120
SD603	Rubberised Cuff	X-Large	120
SAP229	Rubberised Cuff	2X-Large	120
SAP298	Rubberised 4" Gauntlet Cuff	Large	60
SAP227	Rubberised Cuff, Premium Quality	Large	120
SAP226	PE Cuff	Large	120

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberised cuff provides superior protection
- Full leather tipped fingers and knuckle strap provide increased protection
- Case Qty: 120



SM578

Model No.	Description	Size
SM578	Outside Double Palm & Index Finger	Large
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large
SD604	Outside Double Palm, Index Finger & Finger Tips	Large
SE349	Inside Double Palm & Index Finger	Large

GRAIN COWHIDE FURNITURE LEATHER

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120



Model No.	Size
SAN270	Large

GRAIN COWHIDE PATCH PALM FITTERS

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provide increased protection
- Case Qty: 120



Model No.	Description	Size
YC386	Standard Quality, Safety Cuff	Large
SAJ497	Better Quality, PE Cuff	Large
SAP230	Better Quality, Rubberised Cuff	X-Large
SAP234	Superior Quality, Rubberised Cuff	Large

STANDARD QUALITY GRAIN COWHIDE FITTERS

- Smooth grain cowhide leather construction
- Excellent comfort and durability
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- SAO051 has an unlined palm for improved dexterity and sensitivity
- SAO052 has a cotton lined palm keeping hands dry
- Safety cuff
- Full leather tipped fingers and knuckle strap provide increased protection
- Case Qty: 120



SAO052

Model No.	Description	Size
SAO051	Unlined Palm	Large
SAO052	Cotton Lined Palm	Large

PIGSKIN FITTERS

- Durable pigskin leather construction
- Absorbent cotton lined palm
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather tipped fingers and knuckle strap provide increased protection
- Safety cuff
- Case Qty: 120



SAP222

SAO156

Model No.	Description	Size
SAO156	Split Pigskin	Large
SAP353	Split Pigskin	X-Large
SM580	Standard Quality Grain Pigskin	Large
SAP222*	Premium Quality Grain Pigskin	Large

* Rubberised cuff

GRAIN COWHIDE DRIVERS & ROPERS

- Smooth top grain cowhide all leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- "Drivers" style comes with elastic wrist
- "Ropers" style comes with adjustable strap with snap
- Case Qty: 120



DRIVERS

Model No.	Size
UNLINED	
SM584	Small
SM585	Medium
SM586	Large
SM587	X-Large
FLEECE LINED	
SM616	Small
SM617	Medium
SM618	Large
SM619	X-Large
SAP250	2X-Large

ROPERS

Model No.	Size
UNLINED	
SM588	Small
SM589	Medium
SM590	Large
SM591	X-Large
FLEECE LINED	
SAP215	Small
SAP216	Medium
SAP217	Large
SAP218	X-Large

WINTER LINED GRAIN PIGSKIN FITTERS

- Smooth grain pigskin leather construction
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather tipped fingers and knuckle strap provide increased protection



SAP295



Model No.	Description	Size	Lining Warmth	Qty/Case
SAP295	Fleece Lined	Large	Moderate	120
SAP300	Acrylic Boa Lined	Large	Extreme	72
SM615	Thinsulate™ Lined	Large	Extreme	72
SAP251	Thinsulate™ Lined	X-Large	Extreme	72

COTTON FLEECE GRAIN COWHIDE FURNITURE LEATHER

- Smooth grain leather finish
- Full cotton fleece provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120



Model No.	Size
SEA198	Large

WINTER LINED GRAIN COWHIDE FITTERS

- Smooth top grain cowhide leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provide increased protection



SM613



Model No.	Description	Size	Lining Warmth	Case Qty
SR521	Fleece Lined Patch Palm	Large	Moderate	120
SAM023	Fleece Lined Patch Palm	X-Large	Moderate	120
SM610	Fleece Lined	Ladies	Moderate	120
SD605	Fleece Lined	Large	Moderate	120
SAP245	Fleece Lined	X-Large	Moderate	120
SM611	Foam Fleece Lined	Large	Moderate/Extreme	72
SA0053	Acrylic Boa Lined	X-Large	Extreme	72
SAS501	Thinsulate™ Lined	Ladies	Extreme	120
SM613	Thinsulate™ Lined	Large	Extreme	60
SAP246	Thinsulate™ Lined	X-Large	Extreme	72

WINTER LINED SPLIT COWHIDE FITTERS

- Rugged split cowhide leather construction
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provide increased protection



SM609



Model No.	Description	Size	Lining Weight (g)	Lining Warmth	Qty /Case
SD613	Fleece Lined	Large	-	Moderate	120
SAP299	Fleece Lined	X-Large	-	Moderate	120
SAP240	Foam Fleece Lined	Medium	-	Moderate/Extreme	72
SAP241	Foam Fleece Lined	Large	-	Moderate/Extreme	72
SAP242	Foam Fleece Lined	X-Large	-	Moderate/Extreme	72
SD614	Acrylic Boa Lined	Large	-	Extreme	72
SAP247	Acrylic Boa Lined	X-Large	-	Extreme	72
SAS500	Thinsulate™ Lined	Ladies	100	Extreme	72
SAN637	Thinsulate™ Lined	Medium	100	Extreme	72
SAL544	Thinsulate™ Lined	Large	40	Extreme	72
SM609	Thinsulate™ Lined	Large	100	Extreme	72
SAP248	Thinsulate™ Lined	X-Large	100	Extreme	72
SAP249	Thinsulate™ Lined	2X-Large	100	Extreme	72

WELDERS' SUPERIOR QUALITY

- Top split cowhide leather construction
- Excellent abrasion resistance
- Double thumb patch extends wear life
- Full thermal cotton lining provides added heat protection
- Welded seams at all critical points



SAO128

SAO129



Model No.	Description	Size	Qty /Case
SAO128	Glove	Large	72
SAP352	Glove	X-Large	60
SAO129	One-Finger Mitt	Large	60



CLOTHING

TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops submicron particles better than reusable garments
- Color: White
- Qty per case: 25

DuPont
Personal Protection

Applications: General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mould remediation, micro crystalline silica.

	Model No.	Size
COVERALL Serged seams, collar, front zipper closure	SAS027	Small
	SAS028	Medium
	SAS029	Large
	SAS030	X-Large
	SAS031	2X-Large
	SAS032	3X-Large
HOODED COVERALL Serged seams, attached hood, front zipper closure, elastic wrists and ankles	SAS041	Small
	SAS042	Medium
	SAS043	Large
	SAS044	X-Large
	SAS045	2X-Large
	SAS046	3X-Large
SAS047	4X-Large	



NEXGEN® COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White
- Qty per case: 25

DuPont
Personal Protection

Applications: Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.

	Model No.	Size
COVERALL Zipper front, collar	SN880	Small
	SN881	Medium
	SN882	Large
	SN883	X-Large
	SN884	2X-Large
	SN885	3X-Large
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	SN886	4X-Large
	SN894	Small
	SN895	Medium
	SN896	Large
	SN897	X-Large
	SN898	2X-Large
SN899	3X-Large	
SN900	4X-Large	



PROSHIELD® COVERALLS

- Breathable, lightweight fabric that gives you a barrier against non-hazardous dry particles
- Fabric has been optimised for comfort, softness and breathability and applied to a roomy garment design, with an elastic waist and storm flap, to provide a greater range of mobility
- Seams: Serged
- Anti-static treated
- Colour: Blue
- Qty per case: 25

DuPont
Personal Protection

Applications: Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.

	Model No.	Size
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	SN936	Small
	SN937	Medium
	SN938	Large
	SN939	X-Large
	SN940	2X-Large
	SN941	3X-Large
SN942	4X-Large	



POLYPROPYLENE DELUXE SERIES COVERALLS

Breathable, non-irritating to the skin and durable lightweight polypropylene material which can be reused. Suit can be laundered or dry-cleaned. It creates a soil barrier for protection from dust, dirt and other particles in the air. Resistant to aqueous liquid splashes, acids, mildew, abrasion, stain and bacteria. It is also a non-flammable product. Hooded coveralls with elastic at wrists and ankles. 2.1 oz. fabric weight. Colour: Light blue.

NORTH
by Honeywell

Model No.	Size	Qty /Case
SC880	Small	15
SC881	Medium	15
SC882	Large	15
SC883	X-Large	15
SC884	2X-Large	10



LIMITED USE GENERAL PROTECTION SMS COVERALLS

Manufactured of 1.8 oz/yd or 60 gm/m, SMS (spunbonded-meltdown spunbonded) material that provides protection against many dry particulates. The breathable material is comfortable and cool to wear while still protecting the user. Meets or exceeds ANSI 101-1996 sizing requirements and CE category 1 general protective clothing. Available in white and navy.

Lakeland
INDUSTRIES, INC

SafeGard
SMS PROTECTIVE CLOTHING

White Model No.	Navy Model No.	Garment Style	Size	Qty /Case
SAN822	SAN828	Hooded coverall	Medium	25
SAN823	SAN829		Large	25
SAN824	SAN830	w/elastic wrists and ankles	X-Large	25
SAN825	SAN831		2X-Large	25
SAN826	SAN832	3X-Large	25	
SAN827	SAN833	4X-Large	25	



MICROMAX® NS COVERALLS

- General purpose protective clothing
- Economical, lightweight material is strong both wet or dry
- Can be used in non-hazardous environments where dirt, splashes and spills are present
- Breathable material for greater comfort
- Comes with elastic wrists and ankles
- Colour: White

Hooded
Coverall

Lakeland
INDUSTRIES, INC

Coverall Model No.	Hooded Coverall Model No.	Size	Qty /Case
SAN796	SAN803	Small	25
SAN797	SAN804	Medium	25
SAN798	SAN805	Large	25
SAN799	SAN806	X-Large	25
SAN800	SAN807	2X-Large	25
SAN801	SAN808	3X-Large	25
SAN802	SAN809	4X-Large	25



BLUE DENIM APRON

- Bib-style carpenter's apron measures 27" x 34"
- Blue denim with sewn on ties
- Comes with one top pocket with pencil holder and 3 waist pockets

Model No.	Mfg. No.
SB911	1289



NEOPRENE ON NYLON APRON

Resists most acids, protects against splashes. Bib-style apron measures 36" x 48". Lightweight 9 oz. neoprene on nylon. Sewn-on ties.

Model No.	Mfg. No.
SA277	1276



RZ 100 RAIN SUIT

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams



Model No.	Size
SAZ683	Small
SAZ684	Medium
SAZ685	Large
SAZ686	X-Large
SAZ687	2X-Large
SAZ688	3X-Large
SAZ689	4X-Large



RZ 400 RAIN SUIT

- 0.32 mm material thickness
- Yellow nylon/PVC material
- Bib overall pants feature heavy duty quick release fasteners, adjustable suspenders and Velcro® fly closure.
- Zippered hood with drawstrings also converts into storage pouch for the rain suit
- Jacket comes with zipper front, large storm flap, two pockets with Velcro® closure
- Front and back vents on jacket along with inner mesh back lining offer maximum ventilation
- Sleeve design offer improved comfort and ease of movement
- Wide corduroy collar
- Elasticized back on waist of pants improve ease of movement
- Velcro and zipper leg closure provide large opening over work boots
- Double lapped, taped, ultrasonically welded and sewn seams offer superior seam strength

Model No.	Size
SAZ717	Small
SAZ718	Medium
SAZ719	Large
SAZ720	X-Large

Model No.	Size
SAZ721	2X-Large
SAZ722	3X-Large
SAZ723	4X-Large



RZ PONCHO

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Available in Hi-Viz yellow and Hi-Viz orange
- Ultrasonically welded seams
- One size fits all



Model No.	Colour
SAZ707	Orange
SAZ708	Yellow



PROTECTIVE SLEEVES VINYL

Completely heat sealed, made with 8 mil. vinyl. Elastic at both ends. Length: 18". **Sold in pairs.**

Model No. SB893 Blue Mfg. No. SLE8BLU

NEOPRENE

Medium weight neoprene construction. Elastic at both ends. Length: 18". Colour: Yellow. **Sold in pairs.**

Model No. SA281 Mfg. No. SLE11

FLAME RETARDANT CANVAS

100% cotton-flame retardant material. Elastic at both ends. Length: 18". Colour: Lime green. **Sold in pairs.**

Model No. SB894 Mfg. No. SLE12

PVC ON POLYESTER

These PVC on polyester sleeves are strong and flexible. Sewn-in elastic at top with 1" wide elastic at bottom. Length: 18".

Colour: Green. **Sold in pairs.**

Model No. SA282 Mfg. No. SLE13



LAVA BROWN LEATHER WELDING JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
- Seams are double lock stitched
- Include full-sized pocket and multiple-snap adjustment cuffs
- Roll-up collar stops shooting spatter



Model No.	Size	Chest Measurements
TTU398	Medium	40-42"
TTU399	Large	44-46"
TTU400	X-Large	48-50"
TTU401	2X-Large	52-54"
TTU402	3X-Large	56-58"
TTU403	5X-Large	64-66"



DISPOSABLE RESPIRATORS

8200 N95 PARTICULATE RESPIRATOR

- NIOSH approved N95
- Patented filter media with advanced electrostatically charged microfibrils help make breathing easier
- Lightweight construction enhances comfort and wear time
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- 20 respirators per box
- **Sold per box**

Model No. SAQ777
Mfg. No. 8200N95



8210 N95 PARTICULATE RESPIRATOR

- NIOSH approved N95
- Excellent worker protection
- Advanced electret media
- Lightweight construction
- Adjustable nose clip
- 20 respirators per box
- **Sold per box**

Model No. SE260
Mfg. No. 8210N95



8511 N95 PARTICULATE RESPIRATOR

- NIOSH approved N95
- Cool Flow™ exhalation valve
- M-nose clip
- Lightweight construction
- 10 respirators per box
- **Sold per box**

Model No. SE261
Mfg. No. 8511N95



N95 PARTICULATE RESPIRATOR

- Exceptional comfort and worker protection
- Features a soft cushioned nose seal for added comfort and a nose clip for improved fit
- Latex free headstraps
- Provides protection from solids and particulate aerosols free of oil
- Ideal for dusty environments such as grinding, sanding and sweeping
- 20 respirators per box
- **Sold per box**

SAH678



Model No.	Mfg. No.	Size
SAO676	7130N95S	Small
SAH678	7130N95	Medium/Large



by Honeywell

SAF-T-FIT® PLUS N1105 RESPIRATOR

- Economical mask in three sizes offers improved fit and NIOSH approved N95 protection
- Recommended for use with particulate aerosols, free of oil
- 20 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Size
SAM235	14110387	Small
SAM236	14110388	Medium/Large
SAM237	14110389	X-Large

NUISANCE DUST MASK

Nuisance dust masks are available for nuisance dusts such as animal dander and pollen or other nuisance level dusts at exposures below the OSHA permissible exposure limit. This mask is not NIOSH approved.

50 respirators per box. **Sold per box.**

Model No. SAM286
Mfg. No. 14110094CC



Fitseal™

Fitseal™ utilizes a medical grade adhesion strip to secure the respirator to the face instead of straps, rubber bands or nose clips. Fitseal™ conforms to the contours of your face providing a proper fit and a secure seal virtually eliminating gaps around the edge of the respirator that can allow inward leakage of harmful airborne viruses, bacteria and toxic particles.

It FITS....it SEALS
...it PROTECTS!

FEATURES & BENEFITS OF A FITSEAL™ RESPIRATOR

STATE-OF-THE-ART FILTRATION MEDIUM

- Advanced, two way multi-layered filtration medium
- Large surface area allows for ease of breathing and communication
- Minimal heat, CO₂ and humidity accumulation
- Puncture, crush and fluid resistant


ONE-SIZE-FITS-ALL

- Readily conforms to most facial contours
- Easy to apply and can even be worn upside down
- Streamlines fit testing requirements (reduces time & cost)

MEDICAL-GRADE ADHESIVE

- Highly conformable, offers reliable skin-to-respirator face-seal
- Humidity from your breath won't leak and won't fog protective eyewear
- Contains no metal components
- Latex-free, hypo-allergenic, and biocompatible* (repeated usage will not cause damage to the skin)
- FDA cleared for use in medical devices

* Tested at the Institute for Skin Research – Consumer Product Evaluation Branch



Model No.	Mfg.No.	Description
SAX753	40000	N99 respirator, 10 per bag
SAY885	40002	N99 respirator, individually wrapped



"Respirators that don't seal properly around the face offer only the illusion of protection."

- OSHA Technical Manual. Section VIII

RESPIRATORS & CARTRIDGES

7700 SERIES HALF MASK RESPIRATOR

- Non-allergenic silicone facepiece material
- Easy to clean, extremely durable and resists distortion
- Contoured sealing flange and improved cradle suspension

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large



Cartridges not included

NORTH

by Honeywell

GAS & VAPOUR CARTRIDGES

• Sold per package of 2



SM900



ZD796

Model No.	Mfg. No.	Description
SM900	75SC	Defender™ Multi-Purpose Cartridges are approved for protection against organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (Escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine and formaldehyde
ZD796	N75001	Organic Vapour Cartridge

SURVIVAIR® VALUAIR® PLUS HALF-MASK RESPIRATOR

- Thermoplastic elastomer facepiece
- Soft sealing flange and forward angled nosepiece easily accommodate eyewear
- Perspiration port
- Easy-to-adjust, 3-piece sliding suspension
- Facepiece replacement parts are available
- Accepts bayonet (T-Series) cartridges

RECOMMENDED USE:

Ideal for limited use and limited life applications without sacrificing comfort and fit.

Model No.	Mfg. No.	Size
SAM214	301000	Small
SAM215	302000	Medium
SAM216	303000	Large



Cartridges not included

SPERIAN

3M™ 6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATOR

- The lightest half mask respirator available
- Soft, thermoplastic facepiece is extremely comfortable
- Easy-to-adjust headstraps add to worker comfort
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Dispose of the cartridges/filters when used to capacity
- Recloseable storage bag included
- NIOSH/MSHA approved

3M



Model No.	Mfg. No.	Size
SE886	6100	Small
SE887	6200	Medium
SE888	6300	Large

SURVIVAIRMAX™ FULL FACEPIECE RESPIRATOR

- High-grade soft silicone facepiece with 5-strap headgear
- Double-scaling flange for optimum fit
- Distortion-free lens with anti-fog and anti-scratch coatings
- Simple disassembly and reassembly for ease of maintenance
- Optional floating prescription lens insert for spectacle wearers
- Accepts bayonet (T-series) cartridges

Model No.	Mfg. No.	Size
-----------	----------	------

REGULAR

SAM226	821000	Small
SAM227	822000	Medium
SAM228	823000	Large



Cartridges not included

SPERIAN

3M™ 6000 SERIES FULL FACEPIECE RESPIRATOR

- Unique centre adapter directs exhaled breath and moisture downward
- 3M™ Cool Flow™ exhalation valve design helps make breathing easier by reducing heat and moisture
- Wide field of vision helps provide excellent visibility
- Lightweight, well-balanced
- Silicone face seal enhances comfort and durability
- NIOSH approved



Model No.	Mfg. No.	Size
SE889	6700	Small
SE890	6800	Medium
SE891	6900	Large

SE892




3M

SE894



SPERIAN



SAM265

SAM212

T-SERIES CARTRIDGES, SOLD PER PACKAGE OF 2

Model No.	Mfg. No.	Description	Approval for
SAM265	T100100	Organic Vapours	Organic Vapours
SAM212	T100800	Uni-Sorb™ Multi-Contaminant	Organic Vapours/Ammonia/Methylamine/Chlorine /Hydrogen Contaminant Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide (escape)/ Formaldehyde

CARTRIDGES, SOLD PER PACKAGE OF 2

Model No.	Mfg. No.	Description	Approval for
SE892	6001	Organic Vapours	Organic Vapours
SE894	6003	Organic Vapours /Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/ Hydrogen Sulfide (escape only)

HEARING PROTECTION

QUIET BANDS

Ergonomic design keeps the pads suspended so they do not become contaminated when you set the *Quiet* bands down.

QB2® HYG supra-aural protection has a NRR 25 dB rating. One free pair of replacement pods included with each *Quiet* band.



Model No.	Mfg. No.	Description
SN616	QB2HYG	Supra-Aural, 25 dB
REPLACEMENT PODS		
SN618	QB200HYG	1 pair per pkg.



MAX-LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S3.19-1974
- Ratings: NRR 30, SNR 34_{CE}, SLC₈₀(corded) 27.5 SLC₈₀(uncorded) 27.0 CSA A(L)



Model No.	Mfg. No.	Description	Qty /Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.
SM560	LPF-30-PB	Poly Cord, Paper Bag	100 prs.
SM561	LPF-30-P	White Cotton Cord, Biodegradable-Repulpable Paper Bag	100 prs.

LEIGHTNING®

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment



Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK148	1010923	L2, Over-Head Headband	27
SAK149	1010924	L3, Over-Head Headband	30
SAY890	1011998	Hygiene Kit for L1	
SAY891	1011999	Hygiene Kit for L2	
SAY886	1012000	Hygiene Kit for L3	



HORNET, CSA CLASS A

Quality, economical protection for medium range noises. Lightweight plastic construction provides durable, dielectric protection.



Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SA684	EM2175	Hornet Headband	24	8.0
SA685	EM2177	Cap Mount	24	8.0
SAK281	HK200	Hygiene Kit 2 Cushions & Foams Inserts	-	-



LASER-LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Ratings: NRR 32, SNR 35_{CE}, SLC₈₀(corded), 27.5 SLC₈₀(uncorded), 27.0 CSA A(L)



Model No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.

SM563



MAX® FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Ratings: NRR 33 dB, SNR 34 dB



Model No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.

SD630



DECIDAMP2™

Decidamp2™ foam ear plugs, both corded and uncorded, are designed to provide maximum comfort. Foam is of non-toxic and non-irritating PVC. Corded model can hang comfortably around the neck for convenience. Tested in accordance with ANSI S3.19-1974. NRR 29 dB.



Model No.	Mfg. No.	Description	Qty /Box
SA666	280005	Uncorded	200 prs.
ZB546	280006	Corded	100 prs.



CLARITY™

- Patented *Sound Management Technology™* (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments



Model No.	Mfg. No.	Description	NRR dB
SAK157	1011142	C1, Over-Head Headband	20
SAK158	1011145	C2, Multi-Position Headband	23
SAK159	1011146	C3, Over-Head Headband	27
SAK452	1006080	Hygiene Kit for C1	
SAK454	1006081	Hygiene Kit for C2 & C3	



B210

FACE & HEAD PROTECTION

PROTECTO-SHIELD® PROLOK® HEADGEAR

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor



Faceshield
sold separately

FACESHIELDS (SOLD SEPARATELY)

- Universal hole pattern allows visors to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate visors form easily for a contoured, customized fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Compliance with OSHA, ANSI Z87+ and CSA Z94.3 standards



SG418

Model No.	Mfg. No.	Description
SG413	11380048	Ratchet Adjustment
SG414	11380049	Pinlock Adjustment
SG416	11380057	For Safety Cap with <i>Bilsom</i> ® Earmuffs

SPERIAN

BIONIC® SHIELD

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application
- Easily replaceable visor with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Passes ANSI Z87+ and CSA Z94.3 standards



SAK421

UVE
by SPERIAN

Model No.	Mfg. No.	Description
-----------	----------	-------------

FACESHIELDS		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-Fog Hardcoat Faceshield

REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat
SAK425	S8560	Shade 3.0, Uncoated
SAK426	S8565	Shade 5.0, Uncoated

ACCESSORIES		
SA0774	S8580	Replacement Headband
SA0775	S8570	Hard Hat Adapter
SA0776	S8595	Ratchet Suspension

Model No.	Mfg. No.	Description	Dimensions				
			W"	x	D"	x	H"

FACESHIELDS - MOULDED							
SG418	11390044	Clear, Propionate	15	x	0.060	x	8 1/2
SG419	11390047	Clear, Polycarbonate	15	x	0.060	x	8 1/2
SG423	11390058	Clear, Polycarbonate	20	x	0.040	x	9
SAK431	11390066	Shade 3.0	15	x	0.060	x	8 1/2
SAK432	11390067	Shade 4.0	15	x	0.060	x	8 1/2
SAK433	11390068	Shade 5.0	15	x	0.060	x	8 1/2
SAK434	11390069	Shade 6.0	15	x	0.060	x	8 1/2

FACESHIELDS - ALUMINUM BOUNDED ACETATE							
SG420	11390054	Clear	15	x	0.040	x	6
SG421	11390055	Clear	15	x	0.040	x	8 1/2
SG422	11390057	Clear	20	x	0.040	x	9

FACESHIELD - ARC RATED							
SA644	11391000	9.3 cal/cm ²	15	x	0.060	x	8 1/2

PEAK A79

- High-density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- ANSI Type I Class E and CSA Type 1, Class E



NORTH
by Honeywell

The Peak



Model No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue

Other colours available upon request

V-GARD® PROTECTIVE CAPS

- Comfortable, lightweight protection
- Polyethylene shell and suspension system
- Slotted sides and advanced styling in standard (6 1/2 - 8) size
- Meets or exceeds ANSI Type I Class E/G and CSA Type 1 Class E standards



SAF959



SAF970

MSA

Model No.	Mfg. No.	Suspension	Colour
SAF958	463942	Staz-On®	White
SAF959	463943	Staz-On®	Blue
SAF960	463944	Staz-On®	Yellow
SAF961	463945	Staz-On®	Orange
SAF970	475358	Fas-Trac®	White
SAF971	475359	Fas-Trac®	Blue
SAF972	475360	Fas-Trac®	Yellow
SAF973	475361	Fas-Trac®	Orange

EYEWEAR

GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wrap around almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V0 ballistic (standard MIL-STD-662) test regiment



Model No.	Mfg. No.	Model No.	Mfg. No.	Lens Tint
SN209	S3200	SN219	S3240	Clear Ultra-Dura®
SN210	S3200X	SN220	S3240X	Clear Uvextreme® AF
SN211	S3201	SN221	S3241	Espresso Ultra-Dura®
SN212	S3201X	SN222	S3241X	Espresso Uvextreme® AF
SN213	S3202	SN223	S3242	Amber Ultra-Dura®

ASTRO OTG® 3001

- Design to fit over prescription glasses
- Economical alternative to expensive safety prescription spectacles
- Lightweight unilens offers panoramic vision
- Adjustable lens inclination and temple length
- Moulded side shields



Model No.	Mfg. No.	Model No.	Mfg. No.	Lens Tint
SE700	S2500C	SE702	S2510C	Clear
SE701	S2504C	SE703	S2514C	Grey

180 SLIMLINE

- Made of lightweight, non-conductive high impact polycarbonate material
- Popular low profile shape
- High 9-base curve for better coverage and wide field of vision
- Soft temple pads for more comfort



Model No.	Mfg. No.	Lens Tint
SAK757	T1300	Clear
SAK758	T1301	Smoke
SAK759	T1302	Amber

THE EDGE™

- Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision
- Lens is anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- Comes complete with both straight and curved temple ends
- Available in black or grey frame colours



Model No.	Mfg. No.	Frame Colour	Lens Tint
SH060	T56005B	Black	Clear
SH061	T56005BS	Black	Smoke
SH062	T56005BA	Black	Amber
SH066	T56005GRY	Grey	Clear
SH067	T56005GRYS	Grey	Smoke

REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint
SR681	443RL	Clear
SR682	444RL	Smoke
SR683	445RL	Amber



GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two shot temple for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place



ULTRA-DURA® HARDCOAT

Model No.	Mfg. No.	Lens Tint
SAK138	S3300	Clear
SAK139	S3301	Grey
SAK403	S3308	Mirror
SAK405	S3306	Infra-Dura® Shade 3.0
SAK406	S3307	Infra-Dura® Shade 5.0

UVEXTREME® AF

Model No.	Mfg. No.	Lens Tint
SAK093	S3300X	Clear
SAK407	S3301X	Grey
SAK408	S3303X	SC7®-Grey
SAK409	S3304X	SC7®-Low IR

MILLENNIA™

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wrap-around unilens
- Comfortable universal nose bridge
- Includes adjustable break-away FlexiCord™ for added security and convenience



Model No.	Mfg. No.	Model No.	Mfg. No.	Lens Tint
SG990	11150350CSA	SG991	11150370CSA	Clear
SG993	11150351CSA	-	-	TSR® Grey
SG996	11150353CSA	-	-	I/O™ Silver Mirror

LIGHTNING

- High base panoramic lens for a wide unobstructed field of vision
- Self-adjusting temples to insure a secure and comfortable fit
- Frame made of chemical and heat-resistant Elasto LT material
- Flexi-Fit three-point non-slip nosepiece eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique Rapid-Change system
- Soft-Touch comfort pads




Model No.	Mfg. No.	Frame Colour	Lens Tint
SAJ221	T65005	Black	Clear
SAJ222	T65005S	Black	Smoke
SAJ230	T65005A	Black	Amber
SAJ231*	T65005M	Black	Mirror
SAJ515*	T65015TCK	Black	I/O Mirror

*Mirror lenses are anti-fog

TORNADO

- Unique dual lens styling in a single piece lens
- Maximum protection and comfort for greater user acceptance
- Full frame in black with grey trim
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- Anti-fog, anti-scratch, anti-static and anti-UV lenses



Model No.	Mfg. No.	Lens tint
SH069	T57005B	Clear
SH070	T57005BS	Smoke
SH071	T57005BA	Amber

Model No.	Mfg. No.	Lens tint
SH078	T58005B	Clear
SH079	T58005BS	Smoke
SH080	T58005BA	Amber

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Moulded-in nose bridge
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAN426	Clear



Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAW920	Clear



Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Moulded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAN427	Clear



Z700

- Frameless design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAX442	Clear



Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAK850	Clear
SAK851	Grey



Z800

- Sporty design with extended wrap-around coverage
- Moulded-in nose bridge
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAX443	Clear



Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Distortion-free
- Clear frame
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAP877	Clear
SAS362	Smoke
SAS363	Amber
SAS364	Blue



Z900

- Modern design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SAX444	Clear



Z300

- Impact-proof polycarbonate lens
- Adjustable elastic headband
- Indirect ventilation protects against dust, fumes and chemical splash
- Anti-fog lens on SAN430 is ideal for high humidity applications
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Description
SAN428	Direct Vent
SAN429	Indirect Vent
SAN430	Indirect Vent Anti-Fog



Z1100

- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Antifog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes, and chemical splash
- Adjustable elastic headband
- Meets or exceeds CSA Z94.3 standard

Model No.	Description
SAX300	Indirect Vent



EYEWASH & EMERGENCY SHOWERS

PURE FLOW 1000™

- Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid reservoir allow easy draining, eliminate potential safety hazards and simplify fluid disposal
- Once activated, this device automatically displays a prominent, *Warning Service Immediately* notice
- Requires two 3.8 gal. *Eyesaline*® fluid cartridges (sold separately)
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI Z358.1-2009



SPERIAN

Model No.	Mfg. No.	Description	Wt. lbs.
SD552	32-001000-0000	Eyewash Station (English Instructions)	40
SAJ678	32-001000-0022	Eyewash Station (French Instructions)	40
SD553	32-001050-0000	Fluid Cartridges (2/pkg)	70

PORTA STREAM® II & III

- 15-minutes of uninterrupted flushing at 0.4 GPM
- Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open
- Moulded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include *Eyesaline*® or water additive
- *Porta Stream*® III is electrically heated thermostatically to 72°F for freeze protection
- SEI Certified to meet ANSI Z358.1-2009



SPERIAN

Model No.	Mfg. No.	Description	Wt. lbs.
SA427	32-000200-0020	<i>Porta-Stream</i> ® II (English Instructions)	36
SAJ676	32-000200-0022	<i>Porta-Stream</i> ® II (French Instructions)	36
SA428	32-000310-0020	<i>Porta-Stream</i> ® III (English Instructions)	42
SA411	32-000513-0020	<i>Eyesaline</i> ® Concentrate, 180 oz.	13
SAJ677	32-001100-0000	Water Preservative, Four 8-oz. Bottles	-
SA426	32-000102-0000	Replacement Pull-Strap	1
SA412	32-000517-0000	Dust Cover	1

ON-SITE® GRAVITY-FED EYEWASH

- Ideal for locations where a plumbed water source is not available
- 7-gallon tank with single motion activation
- Wall bracket (can also be deck mounted)
- 56 gallon *On-Site*® waste cart captures used fluid
- High-visibility yellow, moulded pedestal, tank and waste cart
- SEI certified to meet ANSI Z358.1-2009



Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
SAK609	S19-921	Gravity-Fed Eyewash	23
SAK611	S19-399	Waste Cart	28
SAK613	S19-865	Water Preservative, Four 8-oz. Bottles	3

WALL MOUNTED EYEWASH UNITS

- Includes 10" diameter corrosion-resistant stainless bowl and cover
- Exposed pipes and wall bracket are protected with *BradTECT*™ safety yellow polyurethane coating to protect unit from corrosion
- Activated by a highly visible plastic push handle
- Dust cover pops open when push handle is activated
- Includes: Safety sign and inspection tag
- Weight: 9 lbs.
- SEI certified to meet ANSI Z358.1-2009



Bradley

Model No.	Mfg. No.	Description
SA438	S19-220DC	Eyewash
SAK617	S19-220DCFW	Eye/Face Wash

B214

EYEWASH STATIONS

Wall stations provide job site convenience and immediate accessibility. Visible with full emergency use instructions in front. Constructed of sturdy high-impact plastic. Available in single 16 oz. or double 32 oz. full squeeze bottles or with empty spout and eye cup bottle. Solution is sterile isotonic. Includes four pre-drilled holes for easy wall mounting. Empty spill spout and eye cup bottles available separately. Ideal for high eye hazard areas.

NORTH

by Honeywell



SAK725



SN702



SN703




SR375

Model No.	Mfg. No.	Description	Dimensions"
SINGLE STATIONS			
SAK725*	E/A3827	W/Empty 16 oz. Spill Spout and Eye Cup	11 x 14
SR370	E/A3840	W/32 oz. Squeeze Bottle	6 1/2 x 11
SD556	E/A3825	W/Empty 32 oz. Spill Spout and Eye Cup	14 x 17
DOUBLE STATIONS			
SN702	E/A3841	W/2-32 oz. Squeeze Bottles	11 x 14
SR373*	E/A3826	W/2 Empty 32 oz. Spill Spout and Eye Cup	14 x 17
REPLACEMENTS			
SAK727	E/A3836	Empty 16 oz. Spill Spout and Eye Cup Bottle	
YA094	E/A3835	Empty 32 oz. Spill Spout and Eye Cup Bottle	
SAK728	E/1507AISO	16 oz. Eyewash Solution	
SN703	E/1507BISO	32 oz. Eyewash Solution	
SR375	E/1507CISO	4 litres Eyewash Solution	

* Without mirror

FAUCET-MOUNT EYEWASH

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Activated by an actuator pin on adapter when pin is in closed position, faucet can be used for normal operation
- Includes a safety sign and inspection tag
- SEI certified to meet ANSI Z358.1-2009




Model No. **SAK621**
Mfg. No. S19-200B

Bradley

PEDESTAL-MOUNT EYE & EYE/FACE WASHES

- Includes 10" diameter impact-resistant yellow plastic bowl or corrosion-resistant stainless steel bowl
- Activated by a highly visible plastic push handle and 1/2" IPS chrome-plated brass stay-open ball valve
- Twin spray heads include a flow control and pop-off dust covers
- Galvanized steel pipe protected with *BradTECT*™ safety yellow polyurethane coating to guard against corrosion
- Include safety sign and inspection tag
- SEI certified to meet ANSI Z358.1-2009



Bradley

Model No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SA436	S19-210	Yellow Plastic Bowl	15
SAK618	S19-210B	Stainless Steel Bowl	16
EYE/FACE WASH			
SAK619	S19-210FW	Yellow Plastic Bowl	17
SA437	S19-210Y	Stainless Steel Bowl	20
ACCESSORIES			
SAJ118	107-371	One Replacement Eyewash Dust Cap	
SR377	S53-063	One Replacement Eye/Face Wash Dust Cap	
SAK620	S45-1964	Retrofit Dust Cover	

SA436

EMERGENCY SHOWERS & FIRST AID

COMBINATION SHOWER/EYEWASH

- SpinTec™ showerhead improves water distribution; activated by a stainless steel pull rod and 1" IPS chrome-plated stay-open ball valve
- Eyewash includes twin spray heads with a flow control and pop-off dust caps with yellow impact-resistant plastic 10" diameter bowls
- Eyewash activated by highly visible push handle and 1/2" IPS chrome-plated stay-open ball valve
- Include 1 1/4" Bradtect™ coated galvanised pipe and floor flange to prevent corrosion
- Includes safety sign and inspection tag
- SEI certified to ANSI Z358.1-2009

Bradley 



SA415



SC338

DRENCH SHOWER TESTER

- Provides a convenient way to comply with ANSI specifications without getting wet
- 84" long, watertight funnel with weighted bottom
- 8' telescoping aluminum handle
- Testing record card included

Model No.	Mfg. No.	Description	Wt. lbs.
SA415	S19-310	Combination Shower	60
SC338	S19-330ST	Drench Shower Tester	5

HORIZONTAL & VERTICAL SUPPLY DRENCH SHOWERS

- SpinTec™ showerhead improves water distribution; activated with stainless steel pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Pipe is 1" Bradtect™ coated galvanised steel which is a yellow polyurethane coating to prevent corrosion
- Includes safety sign and inspection tag
- SEI certified to meet ANSI Z358.1-2009

Model No.	Mfg. No.	Description	Wt. lbs.
SA414	S19-120	Horizontal Supply	7
SA416	S19-130	Vertical Supply	5

Bradley 

EMERGENCY SHOWER STATION MAT NO. 465

Use under emergency showers or eyewash stations to draw attention to the emergency equipment and to keep accident victims from slipping.

- 7/8" thick with drainage ports throughout, keeps employees safely above the overflow area as the hazardous chemicals are washed off
- High-traction design on the mats surface also provides safe footing
- Following the ANSI Z535.1-2006 standard for colour-coding, the mat effectively calls attention to the **safety shower (red)** or **eyewash areas (green)**
- Highly visible tiles designate the location of first aid and safety equipment, and the yellow borders denote caution
- Borders are 6" wide and have a gradual slope for easy access



SAO082

SAN335



Model No.	Dimensions			Colours
	W"	x	L"	
SAN335	30	x	36	Green
SAN336	30	x	48	Green
SAO082	30	x	36	Red
SAO083	30	x	48	Red

1-year warranty!

OCCUPATIONAL HEALTH AND SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed in the chart.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility



Model No.	Refill No.	Container Type	Kit Type
FEDERAL - http://laws.justice.gc.ca/en/SOR-86-304			
SAY106	SAY108	10-unit plastic	Type A, 2-5 workers
SAY109	SAY111	24-unit plastic	Type B, 6-19 workers
SAY113	SAY114	# 2 metal	Type C, 20-199 workers
BRITISH COLUMBIA - www.worksafebc.com			
SAY117	SAY119	36-unit plastic	Basic
SAY121	SAY123	# 2 plastic	Level 1
SAY125	SAY127	# 2 plastic	Level 2
ALBERTA - www.gov.ab.ca			
SAY132	SAY134	16-unit plastic with gasket	No. 1
SAY135	SAY137	36-unit plastic with gasket	No. 2
SASKATCHEWAN - www.labour.gov.sk.ca			
SAY141	SAY143	24-unit plastic	1-9 workers
SAY144	SAY146	36-unit plastic	10-40 workers

Model No.	Refill No.	Container Type	Kit Type
MANITOBA - www.gov.mb.ca/labour			
SAY150	SAY152	24-unit plastic	25 workers
ONTARIO - www.gov.on.ca			
SAY153	SAY155	10-unit plastic	Sec.8, 1- 5 workers
SAY156	SAY158	36-unit plastic	Sec.9, 6-15 workers
SAY159	SAY161	# 2 plastic	Sec.10, 16-199 workers
QUEBEC - www.csst.qc.ca			
SAY174	SAY176	36-unit plastic	Sec.4
SAY171	SAY173	10-unit plastic	Sec.5
NEW BRUNSWICK - www.whscc.nb.ca			
SAY177	-	10-unit plastic	Personal
SAY179	SAY181	36-unit plastic	Standard
NOVA SCOTIA - www.gov.ns.ca			
SAY185	SAY187	16-unit plastic	No.2, 2-19 workers
SAY188	SAY190	24-unit plastic	No.3, 20-49 workers

Model No.	Refill No.	Container Type	Kit Type
PRINCE EDWARD ISLAND - www.wcb.pe.ca			
SAY197	SAY199	36-unit plastic	No.2, 5-15 workers
SAY200	SAY202	36-unit plastic	No.3, 16-100 workers
NEWFOUNDLAND & LABRADOR - www.gov.nf.ca			
SAY207	SAY209	16-unit plastic	No.2, 2-14 workers
SAY210	SAY212	24-unit plastic	No.3, 15-199 workers
NORTHWEST TERRITORIES & NUNAVUT - www.gov.nt.ca			
SAY213	SAY215	24-unit plastic	No.1
YUKON - www.wcb.yk.ca			
SAY224	SAY226	16-unit plastic	No.1

OVER 100 EMPLOYEES REQUIRES A FIRST AID ROOM

FALL PROTECTION

TITAN® CONTRACTOR'S HARNESSES

- Full-body harnesses are made from lightweight durable polyester webbing for all day comfort and dependability
- Fully adjustable design
- Sliding back D-ring
- Sub-pelvic strap
- Universal fit (other sizes available upon request)
- Colour: Orange
- CSA certified



Model No.	Mfg. No.	Side D-Rings	Shoulder Strap Buckles	Leg Strap Buckles	Chest Strap Buckle	CSA Group
SN064	T4000/UAK	No	Mating	Mating	Mating	A
SN065	T4007/UAK	Yes	Mating	Mating	Mating	A, P
SN066	T4500/UAK	No	Mating	Tongue	Mating	A
SN067	T4507/UAK	Yes	Mating	Tongue	Mating	A, P

RITE-ON™ HARNESSES

- Integrated back and shoulder pad
- Fast-action bayonet style connectors
- Extended D-ring option
- Sweat wicking pad fabric
- Tangle-free pad design
- Lightweight polyester webbing
- Universal size with full adjustability
- CSA certified



Model No.	Mfg. No.	Description	CSA Classification
SAK490	FP81F/1DBA	(1) large back D-ring	A
SA0631	FP81F/1EDBA	(1) large extended back D-ring	A
SA0632	FP81F/3DDA	(1) large back D-ring and (2) side D-rings	AP
SA0633	FP81F/3EDDA	(1) large extended back D-ring and (2) side D-rings	AP
SA0634	FP81F/4DLA	(1) large back D-ring, (2) side D-rings and (1) front D-ring	APL
SA0635	FP81F/4EDLA	(1) large extended back D-ring, (2) side D-rings and (1) front D-ring	APL

ACCESSORIES

SAR472	FP780L	Leg or shoulder pad w/velcro enclosure	-
--------	--------	--	---

WORKMAN™ HARNESSES

- Economical
- Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Web retainer collars to keep excess webbing neat
- Easy to don and adjust
- Qwik-Fit™ chest strap
- Size: Standard
- Other sizes available upon request
- CSA certified



SAP167



Model No.	Mfg. No.	D-Rings	
		Back	Hip
TONGUE BUCKLE LEG STRAPS			
SAP167	10072487	Yes	No
SAP168	10072491	Yes	Yes
QWIK-FIT™ LEG STRAPS			
SAP203	10072479	Yes	No
SAP166	10072483	Yes	No

B216

MILLER® REVOLUTION™ CONSTRUCTION HARNESSES

- Designed to meet the durability and safety requirements on construction sites
- Made of type 10 webbing, almost twice as strong as the standard requirements
- Integrated back/shoulder pads
- Pivotlink™ connection
- Web finials and cam buckles
- Rated to 400-lb. capacity
- CSA certified



Model No.	Mfg. No.	Description
SAQ739	R10CN-MB/UGN	Mating Leg Buckles
SAQ740	R10CN-TB/UGN	Tongue Leg Buckles
SAQ741	R10CN-MB-BDP/UGN	Mating Leg Buckles, Removable Belt, Side D-Rings & Pad
SAQ742	R10CN-TB-BDP/UGN	Tongue Leg Buckles, Removable Belt, Side D-Rings & Pad

RITE-ON™ II HARNESSES

- Designed for more simplicity and comfort
- Open cell foam padding wicks sweat away from the body
- Integral back and shoulder pad eliminates tangling of the harness's straps
- Lumbar pad decreases back injuries
- Removable 11" comfort leg pad
- Bayonet style buckle connectors
- Protective label pouch makes identification and inspection easier
- Fall arrest indicator
- CSA certified

SEA295



Small/Medium Model No.	Large/X-Large Model No.	Mfg. No.	Description
SEA288	SEA287	FP81T/1DBA	(1) Back D-ring/CSA class A
SEA290	SEA289	FP81T/1EDBA	(1) Extended back D-ring/CSA class A
SEA292	SEA291	FP81V/3DDA	(1) Back (2) Side D-rings/CSA class AP/Belted
SEA294	SEA293	FP81V/3EDDA	(1) Extended back (2) Side D-rings/CSA class AP/Belted
SEA296	SEA295	FP81V/6D3A	(1) Back, (2) Side, (1) Sternal, (2) Shoulder D-rings/CSA class APLE/Belted
SEA298	SEA297	FP81V/6ED3A	(1) Extended back, (2) Side, (1) Sternal, and (2) Shoulder D-rings/CSA class APLE/Belted

DURABILT SERIES HARNESSES

- Basic lightweight universal harness for everyday use
- Economical and user friendly
- Polyester webbing for greater resistance to chemicals
- Large Back D-ring
- Universal style with our one size fits most
- ISO 9001 manufacturing facility
- CSA certified



SAH534



Model No.	Mfg. No.	Description
SAH533	FPD698/1DP	Full Body Harness
SAH534	FPD698/1DGP	Full Body Harness w/Grommetted Legs

FALL PROTECTION

MANYARD® SHOCK-ABSORBING LANYARDS

- Special woven shock-absorbing inner core reduces fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- CSA certified



Model No.	Mfg. No.	Number of Legs	Anchorage Connection	Length'
SC980	216WLS/4FTYL	One	Locking Snap Hook	4
SC981	216WLS/5FTYL	One	Locking Snap Hook	5
SC982	216WLS/6FTYL	One	Locking Snap Hook	6
SC983	216WLS/8FTYL	One	Locking Snap Hook	8
SC984	219WRS/4FTYL	One	Locking Rebar Hook	4
SC985	219WRS/5FTYL	One	Locking Rebar Hook	5
SC986	219WRS/6FTYL	One	Locking Rebar Hook	6
SC987	219WRS/8FTYL	One	Locking Rebar Hook	8
SAH529	231WRS/6FTYL	Two	Locking Rebar Hook	6

TURBO LITE™ PERSONAL FALL LIMITERS

- Extremely compact and lightweight 1.9 lbs. (0.86 kg) provides 6' (1.8 m) working capacity lifeline
- Unit attaches directly to the harness back D-ring
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- No annual factory recertification required
- CSA certified



Model No.	Mfg. No.	Unit Connector	Lanyard End Connector
SAR481	MFL-1/6FT	w/Steel Twist-Lock Carabiner	Locking Snap Hook
SAR482	MFL-3/6FT	w/o Unit Connector	Locking Snap Hook
SAR483	MFL-11/6FT	w/Aluminum Twist-Lock Carabiner	Aluminum Locking Snap Hook

RETRACTABLE WEB LANYARD

- 8' (2.4 m) long with locking swivel snap hook
- Will "lock up" in approximately 9"
- Engineered to provide maximum protection in places where lanyards might get in the way
- Equipped with 2" (50 mm) webbing, a tough vinyl cover and mounting karabiner
- CSA certified

APPLICATIONS:

- General fall protection
- Stock pickers in warehouses
- Aerial lift applications (i.e. scissor-lifts)
- Also available in other configurations to suit a variety of applications upon request

Model No. SN122
Mfg. No. FP0304



TITAN® SHOCK-ABSORBING LANYARD

- Made of lightweight, durable polyester webbing
- Tubular built-in core style features a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- Standard length is 6'; also available in lengths from 4' to 10'
- Locking snap hook - 3/4" gate opening
- CSA certified



Model No. SN069
Mfg. No. T5111/6FTAF



MINILITE™ FALL LIMITERS

- Lightweight, compact design – only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- Arrests free falls within inches
- Offers up to 11 feet of working capacity
- High-impact protective outer cover
- CSA certified



Model No.	Mfg. No.	Description
SG987	FL11-3/11FT	With Steel Twist Lock Carabiner and Stainless Steel Swivel Shackle
SG988	FL11/11FT	Without Anchorage Connector
SG989	FL11-1/11FT	With Steel Twist-Lock Carabiner

DURABIL™ SERIES LANYARDS

- Polyester decelerator energy absorbing lanyard
- Double locking snap hook harness connectors
- CSA certified




SAH761

Model No.	Mfg. No.	Anchors Connectors	Length'
SAH537	FPD29811/4	Double Locking Snap Hook	4
SAH750	FPD29811/6	Double Locking Snap Hook	6
SAH538	FPD29819/4	Double Locking Rebar Hook	4
SAH761	FPD29819/6	Double Locking Rebar Hook	6

WORKMAN™ ENERGY-ABSORBING LANYARDS

- Lightweight with a low-profile body
- Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Tear-tape design to keep fall arrest forces below 900 lbs.
- Choice of single-leg or twin-leg configuration
- Choice of adjustable or tie-back configuration
- Meets OSHA regulations, and ANSI A10.32 and Z359.1
- CSA certified



SAP195



Model No.	Mfg. No.	Description	Length'
SAP195	10072472	Single-Leg, Tie-Back w/LC Locking Snaps	6
SAP196	10072474	Single-Leg, Adjustable w/LC Locking Snaps	6
SAP197	10072475	Twin-Leg, Adjustable w/LC Locking Snaps	6